

# GENSO Past and Present

Connor Lange – Cal Poly



- GENSO Overview
- R1 and R1E Past
- R2 and Beyond Present
- Summary

#### General GENSO Overview

- Started by ESA in 2007
- Project coded in Java
- A network of multiple ground stations connected over the internet
- The GENSO system consists of three modules
  - Authentication Server (AUS)
  - Ground Station Server (GSS)
  - Mission Control Client (MCC)

#### GSS – Ground Station Server

- Groundstation connected to GENSO Network via internet – 1 GSS per ground station
- Requires computer running GSS software to be connected to ground station hardware
- Tracks satellites via "Bookings"
  - Bookings encompass all network spacecraft
  - Can prioritize a single satellite above all others
- Tracked satellites yield pass reports which are automatically forwarded

# MCC - Mission Control Client

- Computer connected to GENSO Network
  - 1 MCC per spacecraft
- Only requires internet no hardware needed
  - Can download satellite data from any location
- TLEs and other spacecraft data set by the person who registered it
  - Allows for automatic updates on all ground stations
- Able to directly connect to a GSS for uplink
  - Not automatic (must be approved by both parties)

# AUS – Authentication Server

- "Central" node which:
  - Validates user interactions
  - Facilitates communication between GSSs and MCCs
  - Secures the network

The current AUS node is located in Vigo,
 Spain

- GENSO Overview
- R1 and R1E Past
- R2 and Beyond Present
- Summary

# R1 – Release 1 ~ Overview

- Initial stable release of software
- Released to a select few for beta testing in July 2010
- Simple GUI with core functionality

# R1 – Release 1 ~ Successes

- Automatic capture and forwarding of data via passive downlink
- Active uplink via GENSO network groundstation
- Increased amount of data

# R1 - Release 1 ~ Data

- 8 month lifespan of R1 Network:
  - Total Tracking Hours: 2,687
  - Total Data Bytes Captured: 3,773,353
  - 49 satellites registered

- Typical month at Cal Poly:
  - Tracking Hours GENSO: 152 hours
  - Tracking Hours non-GENSO: 39 hours
    - About 26% utilization

- GENSO Overview
- R1 and R1E Past
- R2 and Beyond Present
- Summary

#### R1E - Release 1 for ELaNa


- First mission-focused test case
- Deployed February 2011
- Network created specifically for ELaNa I with GSSs running the R1 software
- Only spacecraft are Explorer-1[Prime], KySat-1, Hermes, ISS, AO-51
- Allow real-time distribution and use of TLEs in early mission stages

#### R1E - Release 1 for ELaNa

- Software testing and GENSO network expansion
- Less congested network containing only dedicated, active stations
- Used to support UT Austin's FASTRAC mission
- Gather more potential developers

- GENSO Overview
- R1 and R1E Past
- R2 and Beyond Present
- Summary

# R2 and Beyond – Release 2



# R2 – Long Term Goals

- GENSO validated by ELaNa missions
  - Widespread use
  - Network expands to worldwide coverage
  - "24/7" communication time
- Data collected increases immensely
- Support for every launch
  - Automatic data collection ("set and forget")
  - Automatic early mission verification (beacons)
  - Only active communication and spacecraft priorities must be coordinated

# GENSO - Current Status

- Cal Poly / COSMIAC Status
- GENSO Project Status

# Questions?